



राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. AHM-0005207

Branch Office : 202-203, Samruddhi Bldg, Opp. Sakar-III, Near Income Tax Circle, Ashram Road, Ahmedabad Zip Code -380014

Ph : 079-27544893

Fax : 079-27540159

Email : boamd@nsic.co.in

Website : www.nsic.co.in



GOVERNMENT PURCHASE ENLISTMENT CERTIFICATE

Renewal Certificate (Valid From 22/06/2026 to 21/06/2028)

Ref.No NSIC/GP/AHM/2018/61975/78

Date: 29/06/2026

M/s. JOHNSONCAB ELECTRICALS LIMITED
Survey No. 930, Jagudan Char Rasta, Mehsana
Ahmedabad Highway, At : LINCH. Jagudan
MEHSANA,
GUJARAT- 382710

Factory Address:

1 .Unit-I :- Survey No. 930, Jagudan Char Rasta,
Mehsana Ahmedabad Highway, At : LINCH. Jagudan
MEHSANA, GUJARAT -382710
2 .Unit-II :- C.S No. NA.1055/1, Near Saffrony Holiday
Resort, Ahmedabad-Mehsana Highway, Linch,
Mehsana, Gujarat-384435
MEHSANA, GUJARAT -384435

Name of the Directors

- 1.Chandreshkumar Patel
- 2.Bhavnnaben Patel
- 3.Anjal Patel

Constitution: Public Limited

Udyam Registration
Number UDYAM-GJ-14-
0001577

Enterprise Social Class:
GENERAL

Special Category:
GENERAL

GOVERNMENT PURCHASE REGISTRATION NO: NSIC/GP/AHM/2018/0032216

Monetary Limit: ₹ 6940 lakhs (₹ Six Thousand Nine Hundred Fourty Lakh Only)
TURNOVER (Rupees in Lakhs)

Financial Year	Annual Turnover
2022-23	7031.71
2023-24	8693.41
2024-25	13878
Monetary Limit	6940

MSEs registered with NSIC are exempted from deposit of Earnest Money irrespective of value of Monetary Limit. Your name has been registered as a MSE Unit eligible for participation in the **Central Government Store Purchase Programme** as per the **Single Point Registration Scheme** for the following Item(s)/Store(s)/Service(s).


Name of the Store(s)/ Service(s)	Specification(s)	Qualitative Capacity	Quantitative Capacity P.M.
-------------------------------------	------------------	----------------------	-------------------------------

"As per List Attached" (8 item only)

Disclaimer:-1.The purchasing agencies are advised to satisfy themselves with the store details in the certificate while doing the Technical Evaluation stage before placing the tender/order on the units, certified by NSIC.
2. This certificate will be valid subject to compliance of definition (Composite criteria of investment and turnover for classification of Micro, Small Enterprises as per MSMED Act).

M/s. JOHNSONCAB ELECTRICALS LIMITED

"Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com"



Authorised Signatory



CIN : U74140DL1955GOI002481

Conditions overleaf.



एन एस आई सी
N S I C

राष्ट्रीय लघु उद्योग निगम लिमिटेड

THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. AHM-0005207

Branch Office : 202-203, Samruddhi Bldg, Opp. Sakar-III, Near Income Tax Circle, Ashram Road, Ahmedabad Zip Code -380014

Ph : 079-27544893

Fax : 079-27540159

Email : boamd@nsic.co.in

Website : www.nsic.co.in

341524
S.No.



STORE DETAILS CERTIFICATE

Renewal Certificate (Valid From 22/06/2026 to 21/06/2028)

ANNEXURE TO GOVERNMENT PURCHASES ENLISTMENT CERTIFICATE


NO. NSIC/GP/AHM/2018/0032216 D.T. 29/06/2026

ISSUED TO M/s. JOHNSONCAB ELECTRICALS LIMITED, GUJARAT

UNIT-1) Unit-I :- Survey No 930, Jagudan Char Rasta, Mehsana Ahmedabad Highway, At : LINCH Jagudan, MEHSANA, GUJARAT-382710

Sno	Store(s)/ Service(s) Name	Specification(s)	Qualitative Capacity	Quantitative Capacity PM	Remarks
1	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages- up to and including 1100 V NIC code: 27	IS 694:2010/Latest Amend. PVC Insulated, Unsheathed/ Sheathed, circular/Flat cables with rigid/flexible copper (Bare)/Aluminium conductor. class 2 / 5 Sheathed and unsheathed excluding outdoor use and low temperature application and without improved fire performance characteristics.	Single core cable upto 50 Sq.mm / Three Core Flat cable upto 50 Sq.mm/Single Core for sizes upto and including 240 Sq.mm/ Multicore upto and including 04 cores, sizes upto and including 50 Sq.mm.	2000 KM OR	Mfg. Work
2	Annealed Bare Copper Conductor Class 6, General Service Normal Duty (SE1 Covering) Synthetic Elastomer Compound NIC code: 27	IS 9857:1990/ Latest Amend. Annealed Bare Copper Conductor Class 6, General Service Normal Duty (SE1 Covering) Synthetic Elastomer Compound, Cable Code "R"	Welding Cable Single Core upto and including 95 Sq.mm	500 KM OR	Mfg. Work
3	Electric Cables for Photovoltaic Systems NIC code: 27	EN 50618:2014 Halogen Free Low Smoke Flame Retardant Cross-Linked Polyolefin	Single Core sizes 2.5 sq. mm to 120 Sq.mm	900 KM	Mfg. Work

M/s. JOHNSONCAB ELECTRICALS LIMITED



Authorised Signatory

Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com

CIN : U74140DL1955GT002481



एन एस आई सी
N S I C

राष्ट्रीय लघु उद्योग निगम लिमिटेड

THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. AHM-0005207

Branch Office : 202-203, Samruddhi Bldg, Opp. Sakar-III, Near Income Tax Circle, Ashram Road, Ahmedabad Zip Code -380014

Ph : 079-27544893

Fax : 079-27540159

Email : boamd@nsic.co.in

Website : www.nsic.co.in




STORE DETAILS CERTIFICATE

	Compound			
--	----------	--	--	--

UNIT-2) Unit-II :- C S No NA 1055/1, Near Saffrony Holiday Resort, Ahmedabad-Mehsana Highway, Linch, Mehsana, Gujarat-384435, MEHSANA, GUJARAT-384435

Sno	Store(s)/ Service(s) Name	Specification(s)	Qualitative Capacity	Quantitative Capacity PM	Remarks
1	Cross linked polyethylene insulated PVC sheathed cables: Part 1 For working voltage up to and including 1 100 V NIC code: 27	As per : IS 7098:Part1: 1988/Latest amend. Type: Armoured/Unarmoured, with Copper/Aluminium Conductor, Class 1/2, Category 01, C1(FR) and C2 (FR-LSH), except for use in Mines, including Low Temperature	Single Core for Sizes up to and including 400 sq. mm/ Multi-core up to and including 4 Cores, Sizes up to and including 400 sq. mm/ Multi-core up to and including 27 Cores, Sizes up to and including 2.5 sq. mm.	200 KM OR	Mfg. Work
2	PVC insulated(heavy duty) electric cables: Part 1 For working voltages up to and NIC code: 27	As per :IS 1554: PART1: 1988/Latest Amend. Type: Armoured/Unarmoured, with Aluminium /Copper Conductor, Class 1/2, Insulation Type A/C, Sheath Type ST1/ST2, Category 01/C1/C2, except for use in Mines, including Low Temperature.	Single Core for Sizes up to and including 400 sq.mm/ Multi-core up to and including 4 Cores, Sizes up to and including 400 sq.mm/ Multi-core up to and including 27 Cores, Sizes up to and including 2.5 sq. mm.	200 KM OR	Mfg. Work
3	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables -Part 2 for Working Voltages from 3.3kV up to and Including 33 kV NIC code: 27	As per: IS 7098 : PART 2 : 2011, Type-Armoured/ Unarmoured,Unscreened, Conductor-Aluminium, Category- 01, C1 and C2, Voltage Grade : 1.9/3.3 kV. Any other declaration- except for use in mines, without watertight construction	a) Single Core for sizes up to and including 400 sq. mm. b) Three Core for sizes up to and including 400 sq. mm.	200 KM OR	Mfg. Work
4	Halogen free flame retardant (hffr) cables	As per IS 17048 : 2018, Halogen Free Flame	a) Single core for sizes up to and including	900 KM	Mfg. Work

M/s JOHNSONCAB ELECTRICALS LIMITED



Authorised Signatory

"Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com"

CIN : U74140DL1955GD1002481



एन एस आई सी
N S I C

राष्ट्रीय लघु उद्योग निगम लिमिटेड

THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. AHM-0005207

Branch Office : 202-203, Samruddhi Bldg, Opp. Sakar-III, Near Income Tax Circle, Ashram Road, Ahmedabad Zip Code -380014

SP. No. 241526

Ph : 079-27544893

Fax : 079-27540159

Email : boamd@nsic.co.in

Website : www.nsic.co.in



STORE DETAILS CERTIFICATE


	for working voltages upto and including 1100volts - specification NIC code: 27	Retardant(HFFR)cables/ cords, circular, with rigid/flexible copper (bare/tinned)/aluminium conductor, class1/2/5, Insulated [Type HFI-TP 70(Thermoplastic)/ HFI-XL 70 (Crosslinked thermoset)/ HFI-XL 90 (Crosslinked thermoset)], Unsheathed, category 01/03/04, for working voltages up to and including 1100 V,	120 sq.mm.		
5	Electric Cables for Photovoltaic Systems for Rated Voltage 1 500 V d.c. NIC code: 27	As per IS 17293:2020, Annealed tinned copper, Class-5 conductor, Cross-linked halogen free flame retardant Insulated and Cross-linked halogen free flame retardant sheathed compound, Rated Voltage: 1500 V D.C Electric Cables for Photovoltaic Systems	6.0 sq mm (84/0.290 mm)	950 KM	Mfg. Work

Comments / Note


(Optional): RITES/NSIC-Johnson Cables W19080554 Dtd.12.09.2019 & RITES/NSIC-W25050164 Dtd.20.06.2025 & RITES/NSIC-Johnsoncab Electricals Ltd. W26040217 Dtd.22.05.2026.(J-141)

Disclaimer:- "MSEs engaged in Re-packaging, Re-Calibration, Re-sizing, Re-Assembling may need vendor assessment for GeM registration as per their policy."

M/s. JOHNSONCAB ELECTRICALS LIMITED


Authorised Signatory

"Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com"



CIN : U74140DL1955GOI002481